

Grass Lake

		Is the child a boy or a girl?				Household income			
		Total	Age				\$35K-		
Gender of child			0 - 1	2 - 5	6 - 11	12 - 17	<\$35K	<\$75K	\$75K+
Boy	n	26	1	3	11	9	1	4	18
	%	51%	36%	24%	64%	62%	18%	47%	55%
Girl	n	25	2	8	6	5	2	5	14
	%	49%	64%	76%	36%	38%	82%	53%	45%
Total	n	50	4	11	17	14	3	9	32
	%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		0.9199	0.4753				0.5136		
Invalid and total responses:									
(REFUSED)	n	2	0	0	0	0	0	0	1
	%	3%	0%	0%	0%	0%	0%	0%	2%
Total	n	52	4	11	17	14	3	9	33
	%	100%	100%	100%	100%	100%	100%	100%	100%
N		42	2	4	8	20	2	10	25

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

		Age of child					
		Total	Sex		Household income		
Age of child			Boy	Girl	<\$35K	\$35K- <\$75K	\$75K+
0 - 1	n	4	1	2	2	0	1
	%	8%	6%	11%	82%	0%	4%
2 - 5	n	11	3	8	0	2	5
	%	24%	11%	37%	0%	37%	16%
6 - 11	n	17	11	6	0	0	16
	%	37%	45%	28%	0%	5%	55%
12 - 17	n	14	9	5	1	4	7
	%	32%	38%	25%	18%	58%	25%
Total	n	45	23	22	3	6	30
	%	100%	100%	100%	100%	100%	100%
p-value:		0.2440	0.4753		N/A		

Invalid and total responses:

(REFUSED)	n	7	2	3	0	2	3
	%	13%	9%	11%	0%	27%	8%
Total	n	52	26	25	3	9	33
	%	100%	100%	100%	100%	100%	100%
	N	42	19	21	2	10	25

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

Is the child Hispanic, Latino/a, or Spanish origin? Which one or more of the following would you say is the race of the child? Would you say: White, Black or African American, American Indian or Alaska Native, Asian or Pacific Islander?

Race-Ethnicity of Child		Total	Sex		Age				Household income		
			Boy	Girl	0 - 1	2 - 5	6 - 11	12 - 17	<\$35K	<\$75K	\$75K+
White only, non-Hispanic	n	42	21	21	4	8	13	14	3	7	26
	%	84%	82%	86%	100%	76%	78%	100%	100%	79%	80%
Black only, non-Hispanic	n	0	0	0	0	0	0	0	0	0	0
	%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Asian only, non-Hispanic	n	0	0	0	0	0	0	0	0	0	0
	%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Other/multiracial, non-Hispanic	n	0	0	0	0	0	0	0	0	0	0
	%	0%	1%	0%	0%	0%	1%	0%	0%	0%	1%
Hispanic	n	8	4	4	0	3	3	0	0	2	6
	%	16%	17%	14%	0%	24%	21%	0%	0%	21%	19%
Total	n	50	26	25	4	11	17	14	3	9	32
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		<.0001***	N/A		N/A				N/A		

Invalid and total responses:

(Don't know/Not sure/Refused)	n	2	0	0	0	0	0	0	0	0	1
	%	3%	0%	0%	0%	0%	0%	0%	0%	0%	2%
Total	n	52	26	25	4	11	17	14	3	9	33
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	42	19	21	2	4	8	20	2	10	25

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

Has a doctor, nurse, or other health professional EVER said that the child had asthma?

Child ever told had asthma		Total	Sex		Age				Household income		
			Boy	Girl	0 - 1	2 - 5	6 - 11	12 - 17	<\$35K	<\$75K	\$75K+
Yes	n	6	5	2	0	0	0	3	1	3	2
	%	12%	17%	7%	0%	0%	0%	19%	18%	34%	7%
No	n	44	21	23	4	11	17	12	2	6	30
	%	88%	83%	93%	100%	100%	100%	81%	82%	66%	93%
Total	n	50	26	25	4	11	17	14	3	9	32
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		<.0001***	0.3674		N/A				0.1861		
Invalid and total responses:											
(REFUSED)	n	2	0	0	0	0	0	0	0	0	1
	%	3%	0%	0%	0%	0%	0%	0%	0%	0%	2%
Total	n	52	26	25	4	11	17	14	3	9	33
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	42	19	21	2	4	8	20	2	10	25

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

Has this child ever been diagnosed with depression?

Child ever diagnosed with depression		Total	Sex		Age		Household income			
			Boy	Girl	10 - 11	12 - 17	<\$35K	\$35K- <\$75K	\$75K+	
Yes	n	1	1	0	0	1	0	1	0	
	%	6%	9%	0%	0%	8%	0%	19%	0%	
No	n	20	11	9	2	13	1	5	11	
	%	94%	91%	100%	100%	92%	100%	81%	100%	
Total	n	21	13	9	2	14	1	6	11	
	%	100%	100%	100%	100%	100%	100%	100%	100%	
p-value:		0.0003***	N/A		N/A		N/A			
Invalid and total responses:										
(REFUSED)	n	2	0	0	0	0	0	0	1	
	%	8%	0%	0%	0%	0%	0%	0%	5%	
Total	n	23	13	9	2	14	1	6	11	
	%	100%	100%	100%	100%	100%	100%	100%	100%	
		N	32	15	15	4	20	1	9	18

Only asked about children who are at least 10 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

On a usual day, about how many minutes or hours does this child engage in active play?

		Total	Sex		Household income		
			Boy	Girl	<\$35K	\$35K- <\$75K	\$75K+
Active play per day	n	0	0	0	0	0	0
	%	0%	0%	0%	0%	0%	0%
1 or 2 hours	n	0	0	0	0	0	0
	%	0%	0%	0%	0%	0%	0%
3 or 4 hours	n	5	0	5	0	2	2
	%	43%	0%	57%	0%	100%	47%
5 or more hours	n	6	3	3	0	0	3
	%	57%	100%	43%	0%	0%	53%
Total	n	11	3	8	0	2	5
	%	100%	100%	100%	0%	100%	100%
p-value:		0.8016	N/A		N/A		
Invalid and total responses:							
Total	n	11	3	8	0	2	5
	%	100%	100%	100%	N/A	100%	100%
	N	4	1	3	0	1	2

Only asked about children who are 2 - 5 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

In an average week, on how many days does this child get a total of 60 minutes or more of exercise? It does not have to be all at once.

Days with 60 min of exercise in a week		Total	Sex		Age		Household income		
			Boy	Girl	6 - 11	12 - 17	<\$35K	\$35K- <\$75K	\$75K+
0 - 1 Days	n	1	1	1	0	1	0	1	0
	%	3%	2%	5%	0%	8%	0%	11%	0%
2 - 4 Days	n	10	4	7	3	2	0	4	6
	%	29%	17%	46%	20%	17%	0%	67%	25%
5 - 7 Days	n	24	17	7	13	10	1	1	20
	%	68%	81%	49%	80%	74%	100%	21%	75%
Total	n	36	21	14	17	14	1	6	26
	%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		0.0001***	0.1808		N/A		N/A		

Invalid and total responses:

(DON'T KNOW/NOT SURE)	n	1	1	0	0	1	0	1	0
	%	2%	3%	0%	0%	4%	0%	9%	0%
(REFUSED)	n	2	0	0	0	0	0	0	1
	%	5%	0%	0%	0%	0%	0%	0%	2%
Total	n	38	22	14	17	14	1	6	27
	%	100%	100%	100%	100%	100%	100%	100%	100%
	N	36	17	17	8	20	1	9	22

Only asked about children who are at least 6 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

In an average school week, how many days does this child walk or bike to school?

Child walks or bikes to school		Total	Sex		Age		Household income		
			Boy	Girl	6 - 11	12 - 17	<\$35K	\$35K- <\$75K	\$75K+
No	n	32	21	11	14	13	1	5	23
	%	95%	94%	95%	100%	87%	100%	81%	97%
Yes, one or more days	n	2	1	1	0	2	0	1	1
	%	5%	6%	5%	0%	13%	0%	19%	3%
Total	n	34	22	12	14	14	1	6	24
	%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		<.0001***	0.9290		N/A		N/A		

Invalid and total responses:

(DON'T KNOW/NOT SURE)	n	2	0	2	2	0	0	0	2
	%	6%	0%	16%	14%	0%	0%	0%	9%
(REFUSED)	n	2	0	0	0	0	0	0	1
	%	5%	0%	0%	0%	0%	0%	0%	2%
Total	n	38	22	14	17	14	1	6	27
	%	100%	100%	100%	100%	100%	100%	100%	100%
N		36	17	17	8	20	1	9	22

Only asked about children who are at least 6 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

On a usual day, about how much total time does this child watch TV, watch videos, play videogames, or use a computer outside of school?

Child screen time per day		Total	Sex		Age				Household income		
			Boy	Girl	0 - 1	2 - 5	6 - 11	12 - 17	<\$35K	\$35K- <\$75K	\$75K+
1 hour or less	n	27	12	15	4	6	9	6	2	1	18
	%	56%	51%	60%	100%	54%	64%	43%	82%	8%	61%
Over 1 - 2 hours	n	13	6	7	0	3	5	6	1	2	11
	%	28%	28%	28%	0%	24%	33%	39%	18%	21%	38%
Over 2 - 3 hours	n	7	5	3	0	2	0	3	0	6	0
	%	15%	20%	11%	0%	22%	0%	18%	0%	68%	1%
Over 3 hours	n	1	0	0	0	0	1	0	0	0	0
	%	1%	1%	1%	0%	0%	4%	0%	0%	4%	1%
Total	n	48	23	25	4	11	14	14	3	9	29
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		<.0001***	0.9103		N/A				N/A		

Invalid and total responses:

(DON'T KNOW/NOT SURE)	n	3	3	0	0	0	3	0	0	0	3
	%	5%	11%	0%	0%	0%	17%	0%	0%	0%	9%
(REFUSED)	n	2	0	0	0	0	0	0	0	0	1
	%	3%	0%	0%	0%	0%	0%	0%	0%	0%	2%
Total	n	52	26	25	4	11	17	14	3	9	33
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	42	19	21	2	4	8	20	2	10	25

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

What I say will have little influence on whether or not this child uses drugs.

Influence regarding child drug use		Total	Sex		Age		Household income		
			Boy	Girl	10 - 11	12 - 17	<\$35K	\$35K- <\$75K	\$75K+
Disagree or strongly disagree	n	15	10	5	2	10	1	6	5
	%	80%	86%	72%	100%	73%	100%	100%	56%
Agree or strongly agree	n	4	2	2	0	4	0	0	4
	%	20%	14%	28%	0%	27%	0%	0%	44%
Total	n	18	11	7	2	13	1	6	8
	%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		0.0071**	0.4264		N/A		N/A		

Invalid and total responses:

(REFUSED)	n	2	0	0	0	0	0	0	1
	%	8%	0%	0%	0%	0%	0%	0%	5%
(NEUTRAL)	n	3	1	2	0	1	0	0	3
	%	12%	8%	19%	0%	7%	0%	0%	23%
Total	n	23	13	9	2	14	1	6	11
	%	100%	100%	100%	100%	100%	100%	100%	100%
	N	32	15	15	4	20	1	9	18

Only asked about children who are at least 10 years-old.

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '****' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

In total, about how many servings of fruits and vegetables does this child have, on average, each day?

Child: Servings of fruits and vegetables per day	Total	Sex		Age				Household income		
		Boy	Girl	0 - 1	2 - 5	6 - 11	12 - 17	<\$35K	\$35K- <\$75K	\$75K+
0-1 servings	n 11	5	6	1	2	1	5	0	5	6
	% 21%	20%	23%	36%	22%	4%	32%	0%	55%	18%
2-4 servings	n 23	11	13	2	3	9	7	3	3	17
	% 48%	44%	51%	64%	24%	55%	47%	100%	38%	54%
5 or more servings	n 15	9	6	0	6	7	3	0	1	9
	% 31%	36%	26%	0%	54%	40%	20%	0%	7%	28%
Total	n 49	25	25	4	11	16	14	3	9	32
	% 100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:	0.3684	0.8770		N/A				N/A		

Invalid and total responses:

(DON'T KNOW/NOT SURE)	n 1	1	0	0	0	1	0	0	0	1
	% 2%	5%	0%	0%	0%	3%	0%	0%	0%	2%
(REFUSED)	n 2	0	0	0	0	0	0	0	0	1
	% 3%	0%	0%	0%	0%	0%	0%	0%	0%	2%
Total	n 52	26	25	4	11	17	14	3	9	33
	% 100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N 42	19	21	2	4	8	20	2	10	25

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '****' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

Yesterday, how many cans or glasses of regular soda (such as cola, lemon-lime), sweetened Carbonated beverages, or sweetened noncarbonated beverages (such as Gatorade, Snapple, energy drinks) did this child drink?

Child: Servings of sweetened beverages per day		Total	Sex		Age				Household income		
			Boy	Girl	0 - 1	2 - 5	6 - 11	12 - 17	<\$35K	\$35K- <\$75K	\$75K+
None	n	38	16	22	4	11	13	10	2	5	24
	%	80%	71%	88%	100%	100%	90%	68%	82%	62%	81%
1 serving	n	9	6	3	0	0	1	4	1	3	6
	%	19%	26%	12%	0%	0%	10%	28%	18%	32%	19%
2 or more servings	n	1	1	0	0	0	0	1	0	1	0
	%	1%	2%	0%	0%	0%	0%	4%	0%	7%	0%
Total	n	47	22	25	4	11	14	14	3	9	29
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		<.0001***	N/A		N/A				N/A		

Invalid and total responses:

(DON'T KNOW/NOT SURE)	n	3	3	0	0	0	3	0	0	0	3
	%	7%	13%	0%	0%	0%	17%	0%	0%	0%	9%
(REFUSED)	n	2	0	0	0	0	0	0	0	0	1
	%	3%	0%	0%	0%	0%	0%	0%	0%	0%	2%
Total	n	52	26	25	4	11	17	14	3	9	33
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
N		42	19	21	2	4	8	20	2	10	25

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 1

Grass Lake

During the past week, on how many days did family members in your household eat a meal together?

Days meals eaten together in household during the past week		Total	Sex		Age				Household income		
			Boy	Girl	0 - 1	2 - 5	6 - 11	12 - 17	<\$35K	\$35K- <\$75K	\$75K+
0-1 Days	n	4	4	0	0	3	1	1	0	1	3
	%	8%	15%	1%	0%	24%	5%	4%	0%	10%	10%
2-4 Days	n	22	10	13	4	6	4	5	2	5	8
	%	43%	37%	51%	100%	54%	21%	36%	82%	62%	25%
5-7 Days	n	25	13	12	0	2	12	9	1	2	21
	%	49%	49%	48%	0%	22%	73%	60%	18%	28%	66%
Total	n	51	26	25	4	11	17	14	3	9	33
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
p-value:		0.0175*	0.2889		N/A				N/A		

Invalid and total responses:

(REFUSED)	n	1	0	0	0	0	0	0	0	0	0
	%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	n	52	26	25	4	11	17	14	3	9	33
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	42	19	21	2	4	8	20	2	10	25

n = number of weighted respondents about the randomly selected child ratio adjusted to the sample size, % = percentage weighted to child population, N = total number of unweighted respondents about the randomly selected child.

P-values from the (F approximation) likelihood ratio Rao-Scott chi-square test for equal percentages in the Total column and for dependence between row and column variables for the remaining columns. Test not performed if a cell has zero respondents.

Significance codes: 0 '****' 0.001 '**' 0.01 '*' 0.05 '.' 1